



RICOH
imagine. change.

Multifunction Color

RICOH MP C2004/ MP C2504

✓ Copier ✓ Printer ✓ Facsimile ✓ Scanner



MP C2004
20 ppm
monochrome and full-color

MP C2504
25 ppm
monochrome and full-color

 Contact : 908 597 0184
 copysan copiers@gmail.com

 1406 Stuyvesant Ave
Union, NJ 07083

Choose the smartest way to share your best ideas

You take pride in your work. You take it personally. Maybe it's time for a multifunction device designed just for you. With the RICOH[®] MP C2004/MP C2504, you can customize the way you work with iconic automated shortcuts, user-specific security controls and fingertip access to critical information via our solution-focused, Workstyle Innovation Technology. Use the intuitive touchscreen control panel to print impressive full-color documents. Scan and distribute originals to anyone, anywhere in moments. Access information easily from the Cloud. What's more, you can do it all from your smartphone or tablet. Place this affordable, compact device in smaller, shared office environments, so your entire workgroup can manage every job — from start to finish — with speed, accuracy and accountability.

- Deliver up to 25 color prints/copies per minute
- Perform a wide range of tasks quickly via intuitive touchscreen controls
- Create your own workflows and shortcuts to simplify everyday tasks
- Use your personal mobile device to print and share information
- Produce professional output in brilliant colors with impressive finishing
- Reduce operating costs with a wide range of eco-friendly features
- New motion sensor technology promotes fast system recovery



Contact : 908 597 0184



copysan copiers@gmail.com



1406 Stuyvesant Ave
Union, NJ 07083

Make your work more personal and productive

Simplify how you capture and share information

Be ready for everything, every day

When you're short on time, tight on space and worried about stretching your budget, choose the MP C2004/MP C2504 to manage every project. Produce stunning handouts, flyers, notes, invoices, banners and more at speeds up to 25 pages per minute. When you want to share information instantly, use the 100-Sheet Automatic Reversing Document Feeder (ARDF) to expedite the scanning process and share digital files via a multitude of Scan-to capabilities. You can fax contracts and other forms just as quickly. In fact, you can send and receive faxes between email inboxes to save on paper, transmission costs and trips to the device checking for confirmations.



Add a personal touch to everyday tasks

Streamline business with a whole new way to work

More productive workflows are within your grasp. Actually, they're at your fingertips. Use RICOH's Workstyle Innovation Technology to simplify how you manage your information on the 10.1" wide Super VGA touchscreen Smart Operational Panel. We've removed all hard keys, so you can use the same swipe scrolling, drag-and-drop and pinch-flick gestures you use on your smartphone or tablet to access settings and details faster and more conveniently. Simply tap an icon to begin core tasks like printing, scanning, copying and faxing. Choose which icons, options and notifications appear on your unique user interface to customize each user experience.



Access vital information when you need it most

When you're more informed, you can be more productive. Follow the intuitive grid design of the touchscreen to find information easily. Take your pick from a wide range of embedded Apps and simplify even your most complex workflows. Each App includes important details about specific jobs and tasks. For example, you can check Scan-to destinations, review finishing options, search fax confirmations and more. Use that information to make adjustments instantly with a swipe or tap. For even more ways to improve work efficiency, you can download free, intuitive Apps from the Ricoh Application Site and add them as new icons to the Home Screen. Information is everywhere, including online. With the MP C2004/MP C2504, you can access web pages and convert them into PDFs for easy distribution.



Contact : 908 597 0184



copysancopiers@gmail.com



1406 Stuyvesant Ave
Union, NJ 07083

Empower users to work quickly, collectively

Reduce energy costs in your office

We believe that saving money should be easy. That's why we made it automatic. The MP C2004/MP C2504 meets EPEAT[®] Gold criteria* and is ENERGY STAR[®] certified. Plus, it offers Typical Electricity Consumption (TEC) as low as 0.7 kWh/week. The device recovers from Sleep Mode in just 7.1 seconds, and with its motion sensor technology, powers up the operation panel in one second. Use default duplex printing to cut paper costs in half and take advantage of the Eco-Friendly widget to track paper savings or to share resource-conserving tips with users. Because we used noise-absorbing materials and minimized vibrations, you'll also notice less operating noise.



Contact : 908 597 0184



copysan copiers@gmail.com



1406 Stuyvesant Ave
Union, NJ 07083

Impressive all the way to the finish line

Choose the finishing touches you want to put on your most important documents. Match one of our three powerful finishers to your unique needs, whether creating real estate materials, promotional advertising, construction blueprints or a wide range of other presentations. Each simplifies finishing tasks to provide a high-quality look without high labor costs.



Finisher	Paper Capacity (LT)	Hole-Punch	Saddle Stitch	Stapleless
SR3180 Internal	250 Sheets	N/A	N/A	Up to 5 Sheets
SR3130 Internal	500 Sheets	Option	N/A	N/A
SR3220 External	1,000 Sheets	Option	Up to 15 Sheets	N/A

General Specifications

Printing Process	4-Drum Method
Output Speed (Copy/Print)	MP C2004: 20-ppm B&W & Full-Color (LTR) MP C2504: 25-ppm B&W & Full-Color (LTR)
Warm-Up Time	26 seconds (from main switch)
Recovery from Sleep Mode	7.1 seconds
First Copy Time (Full-Color/B&W)	MP C2004: 7.6/5.4 seconds MP C2504: 7.5/5.3 seconds
Copy Resolution	600 dpi
Quantity Indicator	Up to 999 copies
Automatic Reversing Document Feeder (ARDF)	Original Capacity: 100 sheets Original Size: 5.5" x 8.5" - 11" x 17" (A5 - A3) Paper Weights: Simplex: 11 - 34 lb. Bond (40 - 128 g/m ²), Duplex: 14 - 34 lb. Bond (52 - 128 g/m ²)
Paper Capacity	Standard: 2 x 550 sheets + 100-Sheet Bypass Tray, Maximum: 2,300 sheets
Supported Paper Sizes	1st Paper Tray: 8.5" x 11" (A4) 2nd, 3rd, 4th Paper Trays: 5.5" x 8.5" - 12" x 18" (A6 - A3), Envelopes Bypass: Up to 12.6" x 18", Envelopes Custom Sizes: Width: 3.5" - 12.6" (90 - 320 mm), Length: 5.8" - 49.6" (148 - 1260 mm)
Supported Paper Weights	Standard Trays: 16 - 80 lb. Bond/166 lb. Index (60 - 300 g/m ²) Bypass Tray: 14 - 80 lb. Bond/166 lb. Index (52 - 300 g/m ²) Duplex Unit: 14 - 68 lb. Bond/142 lb. Index (52 - 256 g/m ²)
Paper Types	Plain, Recycled, Special Paper 1-3, Letterhead, Cardstock, Preprinted Paper, Bond Paper, High-Gloss Coated Paper, Color Paper, Envelopes*, Coated, Labels** & OHP**
Auto Duplex	Standard
Output Capacity	Standard: 500 sheets Maximum: 625 sheets (with options)
Zoom	25% - 400% in 1% increments
Dimensions (WxDxH) (Includes ARDF)	23.1" x 27.0" x 35.9" (587 x 685 x 913 mm)
Weight	197 lbs. (89.2 kg) (includes ARDF)

Power Requirements	120V - 127V, 60Hz, 12A
Power Consumption	1,584W or less; Sleep Mode: 0.8W
TEC Value***	MP C2004: 0.7 kWh/week MP C2504: 0.9 kWh/week
Noise Level (Full System/Standby)	MP C2004: 66.2/30.7 dB MP C2504: 67.1/30.7 dB
*Tray 2 and Bypass Tray Only. **Bypass Tray Only. *** Typical Electricity Consumption by ENERGY STAR Qualified Imaging Equipment Test Procedure.	
Printer Specifications (Standard)	
CPU	Intel Atom Processor Bay Trail 1.33 GHz
Memory /HDD	2 GB RAM/250GB HDD Standard & 4GB RAM/250 GB HDD Option
Page Description Languages	Standard: PCL5e, PCL6, PDF Optional: Adobe® PostScript® 3™, PictBridge, XPS
Font Support	Standard: PCL: 45 Scalable fonts + International 13 fonts Optional: PostScript 3: 136 Roman fonts
Max. Print Resolution	1200 x 1200 dpi
Network Interfaces	Standard: 1000Base-T/100Base-TX/10Base-T Ethernet, USB 2.0 Type A (3 Ports), SD Slot on Operation Panel Optional: IEEE1284/ECP, IEEE802.11 a/b/g/n, USB 2.0 Type B
Network Protocol Support	TCP/IP (IPv4, IPv6)
Network/OS	Windows Vista/7/8/8.1/Server 2008/Server 2008R2/Server2012/Server2012R2 Unix; Sun Solaris, HP-UX, SCO OpenServer, RedHat Linux, IBM AIX, Citrix Presentation Server4.5/Citrix XenApp5.0 Mac OS X v.10.7 or later, SAP R/3, IBM iSeries AS/400-using OS/400 Host Print Transform
Utilities	Device Manager NX Series, Web Image Monitor, @Remote

Document Server Specifications (Standard)

Max. Stored Documents	3,000
Max. Pages/Document	2,000
Max. Page Capacity	9,000
Max. Number of Folders	200

Scanner Specifications (Standard)

Scanner Resolution	B&W and Full-Color scanning at 100 - 600 dpi, Up to 1200 dpi for TWAIN scanning 80 ipm (200 dpi/300 dpi)
Scanning Speed (B&W & Full-Color LTR)	
Scan Area	11.7" x 17" (297 - 432 mm)
Compression Method	B&W TIFF: MH, MR, MMR, JBIG2 Full-Color: JPEG
Supported File Formats	Single/Multi-Page TIFF, PDF, High Compression PDF & PDF/A, Single Page JPEG
Scan Modes	Scan-to-Email (with LDAP support) Scan-to-Folder (SMB/FTP) Scan-to-URL Scan-to-Media (USB/SD Card) Network TWAIN Scanning

Facsimile Specifications (Optional)

Type	ITU-T (CCITT) G3
Circuit	PSTN, PBX
Resolution	200 x 100 dpi, 200 x 200 dpi, 400 x 400 dpi (with optional SAF memory)
Modem Speed	33.6K - 2,400 bps w/Auto fallback
Compression Method	MH, MR, MMR, JBIG
Transmission Speed	G3: Approximately 2 seconds/page (JBIG)
Scanning Speed	Up to 58 spm - Standard and Detail Mode (A4)
Auto Dialing	2,000 Quick/Speed Dial numbers; 100 Group Dial numbers
Memory Capacity (SAF)	Standard: 4 MB (approx. 320 pages), Optional: 64 MB (approx. 4,800 pages) with optional SAF memory



Contact : 908 597 0184



copysancopiers@gmail.com



1406 Stuyvesant Ave
Union, NJ 07083

RICOH MP C2004/MP C2504

SYSTEM SPECIFICATIONS

Security Features (Standard)

DataOverwriteSecurity System (DOSS), HDD Encryption, User Codes, SNMP v3 Support, Locked Print, User Authentication, 802.1x Wired Authentication, Quota Setting/Account Limit, Digitally Signed PDF, and more

Hardware Accessories

Paper Handling Options

Two-Tray Paper Bank (PB3220)

Tray Capacity 1,100 sheets (550 sheets x 2 trays)
Paper Size 7.25" x 10.5" to 12" x 18" (A5 – A3)
Paper Weight 14 – 80 lb. Bond (52 – 300 g/m²)
Dimensions (WxDxH) 23.1" x 27" x 9.7" (587 x 685 x 247 mm)
Cannot be installed with PB3150, Caster Table Type M3 or Cabinet Type F.

One-Tray Paper Bank (PB3150)

Tray Capacity 550 sheets x 1 tray
Paper Size 7.25" x 10.5" to 12" x 18" (A5 – A3)
Paper Weight 14 – 80 lb. Bond (52 – 300 g/m²)
Dimensions (WxDxH) 23.1" x 27" x 4.7" (587 x 685 x 120 mm)
Must include Caster Table Type M3. Cannot be installed with PB3220 or Cabinet Type F.

Output Trays & Finisher Options

Internal Shift-Sort Tray (SH3070)

Tray Capacity 250 sheets (8.5" x 11" or smaller) (A4 – A5)
125 sheets (8.5" x 14" or larger) (B4 – A3)

Paper Size 5.5" x 8.5" to 12" x 18" (A5 – A3)
Paper Weight 14 – 80 lb. Bond (52 – 300 g/m²)

Cannot be installed with SR3220 Booklet Finisher, Internal Finisher or Punch Unit.

One-Bin Tray (BN3110)

Paper Size 5.5" x 8.5" to 12.6" x 17.7" (A5 – A3)
Paper Weight 14 – 80 lb. Bond (52 – 300 g/m²)
Tray Capacity 125 Sheets

BN3110 can also be installed with the Internal Finishers SR3130, SR3180 or SH3070.

250-Sheet Stapleless Stapler Internal Finisher (SR3180)

Paper Size 5.5" x 8.5" to 12" x 18" (A6 – A3)
Paper Weight 14 – 80 lb. Bond (52 – 300 g/m²)
Stack Capacity 250 sheets (8.5" x 11" or smaller) (A4)
125 sheets (8.5" x 14" or larger) (B4 – A3)

Staple Paper Size 8.5" x 11" to 11" x 17" (A4 – A3)
Staple Paper Weight 17 – 21 lb. Bond (64 – 80 g/m²)
Stapleless Capacity 2 – 5 sheets/set
Staple Positions Top, 1 Staple
Dimensions (WxDxH) 17.1" x 20.3" x 5.9" (435 x 515 x 150 mm)

SR3180 cannot be installed with the SR3220 Booklet Finisher, SR3130 Internal Finisher or the Internal Shift Tray SH3070.

500-Sheet Internal Finisher (SR3130)

Paper Size 5.5" x 8.5" to 12" x 18" (A6 – A3)
Paper Weight 14 – 80 lb. Bond (52 – 300 g/m²)
Stack Capacity 500 sheets (8.5" x 11" or smaller) (A4)
250 sheets (8.5" x 14" or larger) (B4 – A3)

Staple Paper Size 7.25" x 10.5" to 11" x 17" (A4 – A3)
Staple Paper Weight 14 – 28 lb. Bond (52 – 105 g/m²)
Staple Capacity 50 sheets (8.5" x 11") (A4)

30 sheets (8.5" x 14" or larger, and/or Mixed Sizes) (B4 – A3)

Staple Positions Top, Bottom, 2 Staples
Dimensions (WxDxH) 21.5" x 20.6" x 6.7" (546 x 523 x 170 mm)

Cannot be installed with the SR3220 Booklet Finisher, SR3180 Internal Finisher or the Internal Shift Tray SH3070.

2-/3-Hole Punch Unit (PU3040NA)

(Optional; Installs inside SR3130 Internal Finisher)
Punch Paper Sizes 7.25" x 10.5" to 11" x 17" (A4 – A3)

Punch Paper Weight 14 – 45 lb. Bond (52 – 169 g/m²)

The Internal Finisher SR3130 must be included to add this option.

1,000-Sheet Booklet Finisher (SR3220)

Paper Size Proof Tray: 5.5" x 8.5" to 12" x 18" (A6 – A3)
Shift Tray: 5.5" x 8.5" to 12" x 18" (A6 – A3)

Booklet Tray: 8.5" x 11" to 12" x 18" (A4 – A3)

Paper Weight Proof Tray: 14 – 45 lb. Bond (52 – 169 g/m²)

Shift Tray: 14 – 80 lb. Bond (52 – 300 g/m²)

Booklet Tray: 14 – 28 lb. Bond (52 – 105 g/m²)

Stack Capacity Proof Tray: 250 sheets (8.5" x 11" or smaller) (A4); 50 sheets (8.5" x 14" or larger) (B4 – A3)
Shift Tray: 1,000 sheets (8.5" x 11" or smaller) (A4); 500 sheets (8.5" x 14" or larger) (B4 – A3)

Booklet Tray: 20 Sets (2 – 5 sheets), 10 Sets (6 – 10 sheets) & 7 Sets (11 – 15 sheets)

Staple Capacity Normal Staple: 50 sheets (8.5" x 11") (A4); 30 sheets (8.5" x 14" or larger) (B4 – A3)

Saddle Stitch 15 sheets

Staple Paper Size Normal Staple: 8.5" x 11" to 12" x 18" (A4 – A3)
Saddle Stitch: 8.5" x 11" to 12" x 18" (A4 – A3)

Staple Paper Weight 14 – 28 lb. Bond (52 – 105 g/m²)
Staple Positions Top, Bottom, 2 Staples, Booklet
Dimensions (WxDxH) 22.2" x 24.4" x 37.8" (563 x 620 x 960 mm)

Requires installation of Bridge Unit BU3070.

The PB3220 Two-Tray Paper Bank must be included to add this option. Cannot be installed with the PB3150.

2-/3-Hole Punch Unit (PU3050NA)

(Optional; Installs inside SR3220 Finisher)

Punch Paper Sizes 5.5" x 8.5" to 11" x 17" (A5 – A3)

Punch Paper Weight 14 – 68 lb. Bond (52 – 256 g/m²)

The SR3220 1,000-Sheet Booklet Finisher must be included to add this option.

Additional Accessories

Banner Paper Guide Tray Type M19, Caster Table Type M3, Bridge Unit BU3070, Cabinet Type F, Camera Direct Print Card Type M19, Card Reader Bracket Type 3352, Extended USB Board Type M19, External Keyboard Bracket Type M19, Fax Connection Unit Type M19, Fax Memory Unit Type M19 64MB, File Format Converter Type M19, G3 Interface Unit Type M19, IEEE 802.11a/g/n Interface Unit Type M19, IEEE 1284 Interface Board Type M19, Imageable Area Extension Unit Type M19, Key Counter Bracket Type M3, Memory Unit Type M19 4GB, NFC Card Reader Type M19, OCR Unit Type M13, Optional Counter Interface Unit Type M12, Postscript3 Unit Type M19, Power Filter ESP XG-PCS-15D, Smart Card Reader Built-in Unit Type M19, XPS Direct Print Option Type M19, Fax Option Type M19

Some options may not be available at the time of market release.

Specifications are subject to change without notice.

For maximum performance and yield, we recommend using genuine Ricoh parts and supplies.



Contact : 908 597 0184



copysan copiers@gmail.com



1406 Stuyvesant Ave
Union, NJ 07083